

Volunteer Monitoring - 2009 Secchi Disk Summary Data

| Lake Name | County | Yearly Min (feet) | Yearly Max (feet) | July/Aug Mean (feet) | Carlson's TSI (for Jul/Aug mean) | # of Obs. |
|-------------|----------------|-------------------|-------------------|----------------------|----------------------------------|-----------|
| Adams | LaGrange | 5.4 | 14.8 | 6.0 | 51 | 6 |
| Ball | Steuben | 4.0 | 7.8 | 4.5 | 56 | 4 |
| Banning | Kosciusko | 5.2 | 5.2 | 5.2 | 53 | 1 |
| Barton | Steuben | 8.7 | 11.8 | 8.7 | 46 | 3 |
| Big | Noble | 3.3 | 8.0 | 4.9 | 54 | 6 |
| Big Barbee | Kosciusko | 2.8 | 6.2 | 3.5 | 59 | 10 |
| Big Bass | Porter | 0.9 | 1.6 | 1.0 | 77 | 4 |
| Big Cedar | Whitley | 12.5 | 17.6 | 16.2 | 37 | 4 |
| Big Chapman | Kosciusko | 5.2 | 11.9 | 7.7 | 48 | 8 |
| Big Long | LaGrange | 15.7 | 19.6 | 17.2 | 36 | 8 |
| Big Otter | Steuben | 6.8 | 10.4 | 7.9 | 47 | 4 |
| Bonar | Kosciusko | 10.7 | 11.0 | 0.0 | n/a | 2 |
| Cedar | Lake | 9.0 | 12.0 | 9.0 | 45 | 3 |
| Center | Kosciusko | 2.2 | 7.9 | 7.4 | 48 | 4 |
| Clear | Porter-Laporte | 6.6 | 11.3 | 7.7 | 48 | 7 |
| Cook | Marshall | 4.6 | 7.1 | 5.3 | 53 | 5 |
| Cordry | Brown | 16.2 | 21.7 | 19.3 | n/a | 8 |
| Crooked | Steuben | 6.5 | 11.3 | 6.5 | 50 | 4 |
| Crooked | Noble | 4.5 | 15.0 | 11.0 | 43 | 3 |
| Diamond | Kosciusko | 4.5 | 5.7 | 0.0 | n/a | 2 |
| Elizabeth | Kosciusko | 15.6 | 21.0 | 17.7 | 36 | 4 |
| Flat | Marshall | 3.7 | 6.2 | 5.3 | 53 | 4 |
| Flint | Porter | 5.3 | 13.8 | 6.7 | 50 | 4 |
| Gage | Steuben | 8.0 | 20.6 | 10.0 | 44 | 9 |
| Galbraith | Marshall | 1.9 | 4.9 | 3.9 | 58 | 5 |
| Goose | Whitley | 3.0 | 15.0 | 3.0 | 61 | 6 |
| Griffy | Monroe | 9.8 | 16.0 | 11.5 | 42 | 6 |
| Heaton | Elkhart | 9.0 | 18.0 | 13.3 | 40 | 4 |
| Heritage | Putnam | 2.7 | 3.9 | 3.0 | 61 | 5 |
| Hogback | Steuben | 3.0 | 5.3 | 4.3 | 56 | 7 |
| Holem | Marshall | 3.6 | 9.8 | 7.6 | 48 | 7 |
| Holiday | Montgomery | 2.7 | 6.0 | 3.1 | 61 | 16 |
| Holiday | Lake | 3.7 | 7.4 | 3.7 | 58 | 4 |
| Indiana | Elkhart | 8.0 | 18.0 | 9.1 | 45 | 18 |
| Irish | Kosciusko | 4.0 | 5.5 | 4.8 | 55 | 4 |

Volunteer Monitoring - 2009 Secchi Disk Summary Data

| Lake Name | County | Yearly Min (feet) | Yearly Max (feet) | July/Aug Mean (feet) | Carlson's TSI (for Jul/Aug mean) | # of Obs. |
|----------------|-----------|-------------------|-------------------|----------------------|----------------------------------|-----------|
| James | Steuben | 8.6 | 26.3 | 10.8 | 43 | 6 |
| James | Kosciusko | 5.7 | 12.5 | 6.5 | 50 | 9 |
| Knapp | Noble | 3.8 | 7.4 | 4.8 | 55 | 8 |
| Koontz | Starke | 3.3 | 9.1 | 3.8 | 58 | 14 |
| Kuhn | Kosciusko | 7.1 | 13.4 | 8.1 | 47 | 10 |
| Woods | LaGrange | 6.4 | 11.3 | 8.5 | 46 | 3 |
| Woods | Marshall | 2.4 | 5.2 | 2.4 | 64 | 4 |
| Lamb | Johnson | 2.6 | 9.6 | 6.2 | 51 | 15 |
| Little Barbee | Kosciusko | 2.0 | 3.5 | 2.6 | 63 | 2 |
| Little Cedar | Whitley | 5.2 | 10.2 | 5.8 | 52 | 5 |
| Little Chapman | Kosciusko | 2.5 | 7.4 | 3.3 | 60 | 8 |
| Little Crooked | Whitley | 4.0 | 9.0 | 6.0 | 51 | 4 |
| Little Long | Noble | 5.3 | 11.5 | 7.7 | 48 | 6 |
| Little Otter | Steuben | 7.0 | 12.2 | 9.1 | 45 | 4 |
| Loon | Whitley | 3.6 | 7.3 | 4.1 | 57 | 3 |
| Lost | Marshall | 3.2 | 4.0 | 3.7 | 58 | 3 |
| Lower Fish | LaPorte | 5.5 | 9.6 | 5.5 | 53 | 2 |
| Manitou | Fulton | 1.5 | 4.3 | 3.5 | 59 | 15 |
| Martin | LaGrange | 2.9 | 15.8 | 12.0 | 41 | 11 |
| Maxinkuckee | Marshall | 0.0 | 21.8 | 0.0 | n/a | 4 |
| McClish | Steuben | 9.1 | 14.3 | 0.0 | n/a | 2 |
| Millpond | Marshall | 5.4 | 6.7 | 0.0 | n/a | 4 |
| Myers | Marshall | 20.0 | 20.0 | 0.0 | n/a | 1 |
| Nebo | Morgan | 10.5 | 11.3 | 0.0 | n/a | 2 |
| Nyona | Fulton | 2.6 | 4.0 | 2.7 | 63 | 5 |
| Old | Whitley | 2.0 | 7.0 | 5.9 | 51 | 5 |
| Hole | Morgan | 2.7 | 6.5 | 3.5 | 59 | 11 |
| Olin | LaGrange | 5.5 | 16.1 | 8.5 | 46 | 13 |
| Oliver | LaGrange | 4.2 | 14.7 | 5.8 | 52 | 13 |
| Oswego | Kosciusko | 5.0 | 11.3 | 6.3 | 51 | 9 |
| Painted Hills | Morgan | 5.8 | 5.8 | 0.0 | n/a | 1 |
| Pinestone | Harrison | 8.0 | 13.0 | 11.0 | 43 | 5 |
| Pretty | Marshall | 7.4 | 17.6 | 13.8 | 39 | 3 |
| Pretty | LaGrange | 12.0 | 15.0 | 12.0 | 41 | 3 |

| Volunteer Monitoring - 2009 Secchi Disk Summary Data | | | | | | |
|---|---------------|--------------------------|--------------------------|-----------------------------|---|------------------|
| Lake Name | County | Yearly Min (feet) | Yearly Max (feet) | July/Aug Mean (feet) | Carlson's TSI (for Jul/Aug mean) | # of Obs. |
| Rachel | Kosciusko | 12.0 | 13.2 | 12.0 | 41 | 4 |
| Salamonie | Wabash | 1.0 | 4.0 | 3.1 | 61 | 16 |
| Sawmill | Kosciusko | 2.2 | 4.3 | 3.1 | 61 | 2 |
| Sechrist | Kosciusko | 7.6 | 13.4 | 8.8 | 46 | 7 |
| Shriner | Whitley | 7.6 | 20.6 | 19.8 | 34 | 6 |
| Silver | Steuben | 9.4 | 15.4 | 15.4 | 38 | 2 |
| Skinner | Noble | 1.3 | 3.6 | 3.1 | 61 | 9 |
| Snow | Steuben | 6.2 | 15.4 | 8.9 | 46 | 10 |
| Spirit | Marion | 4.2 | 4.2 | 4.2 | 56 | 1 |
| Sweetwater | Brown | 15.7 | 22.0 | 17.5 | 36 | 10 |
| Syracuse | Kosciusko | 9.0 | 14.9 | 10.3 | 44 | 6 |
| Tawny | St. Joseph | 6.7 | 16.3 | 9.5 | 45 | 5 |
| Tippecanoe | Kosciusko | 4.7 | 15.0 | 5.6 | 52 | 9 |
| Upper Long | Noble | 5.0 | 9.0 | 7.1 | 49 | 13 |
| Waubee | Kosciusko | 7.0 | 24.0 | 9.0 | 46 | 8 |
| Wawasee | Kosciusko | 4.0 | 12.0 | 5.1 | 54 | 4 |
| Webster | Kosciusko | 5.2 | 16.2 | 6.6 | 50 | 7 |
| West Otter | Steuben | 2.4 | 5.6 | 4.3 | 56 | 6 |
| Whippoorwill | Morgan | 4.3 | 8.6 | 5.6 | 52 | 9 |
| Winona | Kosciusko | 5.8 | 6.0 | 5.9 | 52 | 2 |
| Witmer | LaGrange | 3.0 | 8.5 | 3.1 | 61 | 4 |
| Yellow Creek | Kosciusko | 2.7 | 2.7 | 2.7 | 63 | 2 |
| * No Data | Totals | n/a | n/a | n/a | | 554 |
| | 2009 Minimum | 0.0 | 1.6 | 0.0 | 34.1 | 1.0 |
| | 2009 Maximum | 20.0 | 26.3 | 19.8 | 76.6 | 18.0 |
| | 2009 Average | 5.8 | 11.2 | 6.7 | 50.8 | 6.1 |